



INVESTOR IN PEOPLE

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office

Concept House

Cardiff Road

Newport

South Wales

NP10 8QQ

REC'D 21 JUN 2004

WIPO

PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated

10 June 2004

Stephen Horobin


BEST AVAILABLE COPY

20 MAY 2003

The
Patent
Office20MAY03 E808559-1 D02903
P01/7700 0.00-0311503.7

1/77

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office
Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference

2. Patent application number
(The Patent Office will fill in this part)

0311503.7

3. Full name, address and postcode of the or of each applicant *(underline all surnames)*

Reckitt Benckiser (UK) Limited
103-105 Bath Road
Slough
Berkshire
SL1 3UH
United Kingdom

Patents ADP number *(if you know it)*

07972136002 ✓

If the applicant is a corporate body, give the country/state of its incorporation

England

4. Title of the invention

Improvements in or Relating to Compositions

5. Name of your agent *(if you have one)*

Andrew S Brown

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

Reckitt Benckiser plc
Group Patents Department
Dansom Lane
HULL
HU8 7DS
UNITED KINGDOM

Patents ADP number *(if you know it)*

07799521001 ✓

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and *(if you know it)* the or each application number

Country	Priority application number <i>(if you know it)</i>	Date of filing
---------	--	----------------

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application <i>(day / month / year))</i>	Date of filing
---	----------------

3. Is a statement of inventorship and of right to grant of a patent required in support of this request? *(Answer 'Yes' if:*

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body.
See note (d)

Yes

Patents Form 1/77

Enter the number of sheets for any of the following items you are filing with this form.
Do not count copies of the same document

Continuation sheets of this form

Description	28
Claim(s)	3
Abstract	1
Drawing(s)	1 + 1 (2)

1. If you are also filing any of the following, state how many against each item.

Priority documents
Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

One

Request for substantive examination (Patents Form 10/77)

One

Any other documents
(please specify)

FS1

I/We request the grant of a patent on the basis of this application.

Signature

Date

Andrew S Brown

16 May 2003

2. Name and daytime telephone number of Person to contact in the United Kingdom

Andrew S Brown (01482) 582411

Warning

If an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- i) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- ii) Write your answers in capital letters using black ink or you may type them.
- iii) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- iv) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- v) Once you have filled in the form you must remember to sign and date it.
- vi) For details of the fee and ways to pay please contact the Patents Office.

Improvements in or Relating to Compositions

The present invention relates to a water soluble container
5 which, when filled, contains at least two compositions.

It is known to package chemical compositions, particularly
those which may be of a hazardous or irritant nature, in
water-soluble packages. Such packages may be made by
10 folding or thermoforming one or more water-soluble films, as
disclosed in WO 89/12587 and WO 92/17382, or may be formed
by injection moulding a water-soluble composition, as
disclosed in WO 01/36290.

15 Known injection moulded containers can contain one or two or
more compositions. For example, WO 01/36290 discloses a
water-soluble container having one or more compartments
separated by vertical walls, the whole container being
sealed by a single water-soluble film heat sealed over the
20 opening of all of the compartments. A disadvantage of this
arrangement is that it does not allow for the contents of
the compartments to be delivered into a larger volume of
water at different times. The film is the first part of the
container to dissolve in water, leading to simultaneous
25 opening of all of the compartments. Thus release of
different compositions at different times is not possible.

WO 02/092456 and WO 02/085737 disclose a water-soluble
container which can release different compositions at
30 different times. The container comprises a member having at
least two openings positioned on different sides of the
member, each opening being closed by a film. By ensuring

that the member is divided into at least two compartments and by ensuring that each compartment is closed by films having different dissolution properties from each other, it is possible to ensure that compositions are released at 5 different times from each other when the container is placed in a large volume of water. A disadvantage of this arrangement is that the filling process is complex. One of the compartments is first filled through an uppermost opening with a composition and then sealed with a film. The 10 container must then be turned over such that another opening is uppermost, and the process repeated using a second film. Such a process involves the manipulation of partially filled containers; turning them over leads to an increased risk of spillage as well as to increased production costs. It also 15 involves the use of two different sealing films, again leading to increased complexity and costs. Furthermore the shape of the container is constrained by the requirement that it has at least two openings on different sides with flanges such that films can be sealed over the openings. 20 Multiple flanges may lead to a product which is considered by consumers to be unattractive.

The present invention provides a water-soluble container which comprises at least two compartments containing 25 compositions which can be released at different times which overcomes or alleviates at least one of the above problems.

The present invention provides a filled water-soluble injection moulded container containing a first composition 30 held in a first compartment and a second composition held in a second compartment, said first compartment and said second compartment being separated by a water-soluble barrier

having an opening plugged by a plug arranged such that when said container is filled with said first composition and said second composition, said first compartment is filled through said opening in said barrier, said barrier is
5 plugged with said plug, and subsequently said second compartment is filled with said second composition and said second compartment is sealed with a closure part.

The present invention additionally provides an unfilled
10 water-soluble injection moulded container containing a first compartment and a second compartment, said first compartment and said second compartment being separated by a water-soluble barrier having an opening arranged such that when said container is to be filled said first compartment is arranged to be filled through said opening in said barrier, said barrier capable of being plugged with a plug, and subsequently said second compartment is arranged to be filled through another opening in the container.

20 The present invention also provides a process for preparing a filled container as defined above which comprises providing an unfilled water-soluble injection moulded container as defined above, filling said first compartment with said first composition through said opening in said barrier, plugging said opening with a plug, filling said second compartment and sealing said second compartment with a closure part.

The term "water-soluble" when used herein means that when
30 used in a washing machine, such as a laundry or dish washing machine, the water soluble aspects of the article are substantially (greater than 70%, ideally greater than 85%,

and especially about 100%) dissolved or dispersed into the water. This can be tested by placing the article in 10 litres of agitated water at a desired temperature, for example 45 °C, for 40 minutes and measuring any undissolved 5 or non-disintegrated pieces of the parts of the article, which are water-soluble, that are left.

The filled container of the present invention is capable of releasing the compositions contained within it at different 10 times when the container is placed in a large volume of water due to the different boundaries of the compartments. The second compartment is generally sealed with a water-soluble film, while the remainder of the container is injection moulded. An injection moulded wall is generally 15 thicker than a film since it is not easily possible to manufacture injection moulded walls which are as thin as films. Hence the injection moulded parts of the container generally dissolve slower than the film. The first compartment is surrounded by injection moulded walls whereas 20 the second compartment has at least one opening to the outside sealed by a film. This film is generally the first to dissolve, thus releasing the second composition from the second compartment into the outside environment. After a time the first composition is released from the first 25 compartment. This release can be achieved in a number of different ways. For example the outside injection moulded walls can dissolve. This can result in a rapid release of the first composition at a particular time. Another possibility is that the plug dissolves or is removed, 30 releasing the first composition through the opening in the barrier. This can result in a sustained release of the first composition as it gradually exits through the opening.

Of course, a combination of these release methods can also be used.

The container of the present invention can also easily be
5 filled without recourse to complex processing arrangements
since it does not generally need to be rotated during the
filling operation.

The advantages of the present invention can easily be seen
10 from an exemplary embodiment shown in the Figures.

Figure 1 is a cross section of an unfilled injection moulded
container.

15 Figure 2 shows the container in which the first compartment
is filled with a first composition.

Figure 3 shows the container in which the barrier opening
has been sealed by a plug.

20 Figure 4 shows the container in which the second compartment
is filled with a second composition.

Figure 5 shows the container in which the second compartment
25 has been sealed.

The unfilled container is made from a water-soluble (which
term is taken to include water dispersible) material such as
30 a water-soluble polymer. Examples of water-soluble polymers
are poly(vinyl alcohol) (PVOH), cellulose derivatives such
as hydroxypropyl methyl cellulose (HPMC), gelatin,

poly(vinylpyrrolidone), poly(acrylic acid) or an ester thereof or poly(maleic acid) or an ester thereof.

Copolymers of any of these polymers may also be used.

5 An example of a preferred PVOH is esterified or etherified PVOH. The PVOH may be partially or fully alcoholised or hydrolysed. For example it may be from 40 to 100%, preferably from 70 to 92%, more preferably about 88% or about 92%, alcoholised or hydrolysed. The degree of

10 hydrolysis is known to influence the temperature at which the PVOH starts to dissolve in water. 88% hydrolysis corresponds to a PVOH soluble in cold (i.e. room temperature) water, whereas 92% hydrolysis corresponds to a PVOH soluble in warm water. A preferred PVOH which can be

15 further processed is sold in the form of granules under the name CP1210T05 by Soltec Developpement SA of Paris, France.

By choosing an appropriate polymer it is possible to ensure that the water-soluble polymer dissolves at a desired

20 temperature. Thus each the polymer may be cold water (20°C) soluble, but may be insoluble in cold water and only become soluble in warm or hot water having a temperature of, for example, 30°C, 40°C, 50°C or even 60°C.

25 Desirably the injection moulded container, excluding its contents, consists essentially of, or consists of, the water-soluble polymer composition. It is possible for suitable additives such as plasticisers, lubricants and colouring agents to be added. Components which modify the

30 properties of the polymer may also be added. Plasticisers are generally used in an amount of up to 20 wt%, for example from 10 to 20 wt%. Lubricants are generally used in an

amount of 0.5 to 5 wt%. The polymer is therefore generally used in an amount of from 75 to 84.5 wt%, based on the total amount of the moulding composition. Suitable plasticisers are, for example, pentaerythritols such as

5 depentaerythritol, sorbitol, mannitol, glycerine and glycols such as glycerol, ethylene glycol and polyethylene glycol. Solids such as talc, stearic acid, magnesium stearate, silicon dioxide, zinc stearate or colloidal silica may be used as lubricants.

10

It is also possible to include one or more particulate solids in the moulding composition from which the containers are formed in order to accelerate the rate of dissolution of the film. Dissolution of the solid in water is sufficient 15 to cause an acceleration in the break-up of the film, particularly if a gas is generated.

Examples of such solids are alkali and alkaline earth metal, such as sodium, potassium, magnesium and calcium, 20 bicarbonate and carbonate, in conjunction with an acid. Suitable acids are, for example acidic substances having carboxylic or sulfonic acid groups or salts thereof. Examples are cinnamic, tartaric, mandelic, fumaric, maleic, malic, palmoic, citric and naphthalene disulfonic acids, as 25 free acids or as their salts, for example with alkali or alkaline earth metals.

The walls of the container and the barrier generally have thicknesses of greater than 50 μm , for example greater than 30 100 μm , 150 μm , 200 μm , 300 μm , 500 μm , 750 μm or even 1mm. The barrier may be thinner, the same thickness or thicker than

the outer walls of the container depending on the dissolution characteristics desired.

The closure part, especially when it is in the form of a

5 film, may be placed on top of the filled container, and desirably across a sealing portion such as a flange if it is present, and is sealed to the container. This film may be a single-layered film but is desirably laminated to reduce the possibility of pinholes allowing leakage through the film.

10 The film may be made of the same or different material as the material forming the injection moulded container.

When the closure part is in the form of a film it may be produced by any process, for example by extrusion and

15 blowing or by casting. The film may be unoriented, monoaxially oriented or biaxially oriented. If the layers in the film are oriented, they usually have the same orientation, although their planes of orientation may be different if desired. The film may be a single film, or a

20 laminated film as disclosed in GB-A-2,244,258. The layers in a film laminate may be the same or different. Thus they may each comprise the same polymer or a different polymer.

Desirably the closure part, especially when it is in the

25 form of a film, has a thickness which is less than that of the walls of the container in order to allow for the correct dissolution of the compositions held within the container. However, control over the relative dissolution times of the film and the injection moulded container can also be

30 exercised by choosing materials with different dissolution characteristics, for example PVOHs with different degrees of

hydrolysis, or by coating the closure part or walls of the container with a composite which retards dissolution.

The thickness of the closure part, especially when in the 5 form of a film, is generally from 20 to 160 μm , preferably from 40 to 100 μm , such as 40 to 80 μm or 50 to 60 μm .

The closure part and the injection moulded container are sealed together in a known manner. For example, heat 10 sealing can be used, as well as other sealing methods such as infra-red, radio-frequency, ultrasonic, laser or solvent welding, for example using water or a solution of the polymer from which the container and/or closure part is formed.

15 Heat sealing conditions depend on the machine and material used. Generally the sealing temperature is from 100 to 180°C. The pressure is usually from 100 to 500 kPa (1 to 5 bar). The dwell time is generally from 1.3 to 2.5 seconds.

20 Preferably the closure part dissolves in water first to allow the composition held in the second compartment to be released first. It is, for example, desirable for the composition held in the second compartment to be released in 25 less than 5 minutes, preferably less than 2 minutes, when the container is placed in water at 40°C.

30 Preferably the container of the present invention is manufactured by forming an array of individual containers, each container being joined to adjacent containers and being severable from them by a snap or tear action. The array is preferably one with columns and rows of containers. The

containers may be separated by frangible webs of the water-soluble polymer of which they are made. The containers may be manufactured with flanges such that they are separated from each other by a line of weakness. For example the 5 material may be thinner and so be able to be broken or torn easily. The thinness may be as a result of the moulding process or, preferably, of a later scoring step.

Once the containers have been filled and the closure part 10 applied, the array may be split into individual containers prior to packaging or it may be left as an array to be split by the user.

As well as having the barrier separating the first and 15 second compartments, the containers of the present invention may also comprise further internal walls splitting the first compartment and/or the second compartment into sub-compartments to contain different compositions. Such further internal walls are generally perpendicular to the 20 barrier. The container may also comprise further compartments.

The container may be formed with an opening, for example a depression formed in a side wall or the base wall, and 25 preferably being open in the outward direction. Preferably the opening is adapted to receive, in a press-fit manner, a solid block, for example a tablet, of a composition, for example a composition useful in a washing process. It is also possible to fill the opening with a liquid which 30 subsequently forms a gel.

The water-soluble container produced by the process of the present invention contains at least two compositions, which may be the same or different.

5 The compositions in the first and second compartments, or in any further compartments or sub-compartments, may be the same or different, although they are usually different. They may have the same or different physical states. Thus both, or all, of the compositions may be, for example,

10 liquid, particulate, granular, gelled, or solid. Another possibility is that one of the compositions is liquid and the other is not a liquid, for example it is particulate, granular, gelled or solid.

15 The plug may have any form and be of any composition so long as it fulfils the function of plugging the opening such that the contents of the first and second compartments do not mix. This is especially important when one of these is a liquid. Desirable the plus is of a size and shape such that

20 is can easily plug the opening in a high-speed manufacturing process. Thus, for example, the plug can be in the form of a sphere or ball. The plug can then simply be placed on top of the barrier near the opening, and it will roll into place in the opening even if it is not precisely positioned. In

25 order to assist this process the containers may be vibrated, or the barrier may be slightly inclined towards the opening, for example by 2 to 20°, especially 5 to 10°.

30 The plug can also have a flat or planer shape, in which case it is simply placed above the opening to cover it.

The plug can simply plug the opening unassisted if desired. The pressure of the compositions in the compartments either side of the barrier may be sufficient to ensure that it stays in place. It is also possible to take further steps to 5 ensure that the plug stays in place, for example by adhering it to the barrier around the opening.

The plug may have any composition, although it is desirably water-soluble. It may be inert and simply dissolve or 10 disperse in water. Desirably, however, it has a useful function in addition to acting as a plug. Thus it may, for example, comprises a composition useful in washing or detergency. It may, for example, comprise a fabric care, surface care or dishwashing composition, for example a 15 laundry, water-softening or rinse and composition or a bleach or bleach enhancer composition.

The plug may dissolve at any desired time depending on its function. Thus, for example, if it comprises a rise aid it 20 preferably dissolves after all the other compositions held in the container.

The containers may contain one or more than one composition. If the containers contain two or more different 25 compositions, they can have a particularly attractive appearance since the compositions, may be held in a fixed position in relation to each other. The compositions can be easily differentiated to accentuate their difference. For example, the compositions can have a different physical 30 appearance, or can be coloured differently.

The compositions within the compartments need not be uniform. For example, during manufacture the first compartment could be filled with a settable composition, for example, a gel, and the second compartment filled with a 5 compacted particulate composition. One of these compositions could dissolve slowly in the washing process so as to deliver its charge over a long period within the washing process. This might be useful, for example, to provide an immediate, delayed or sustained delivery of a 10 component such as a softening agent.

The compositions which can be held in the container may independently be a fabric care, surface care or dishwashing composition. Thus, for example, they may be a dishwashing, 15 water-softening, laundry or detergent composition, or a rinse aid. Such compositions may be suitable for use in a domestic washing machine. The compositions may also independently be a disinfectant, antibacterial or antiseptic composition, or a refill composition for a trigger-type 20 spray. Such compositions are generally packaged in total amounts of from 5 to 100 g, especially from 15 to 40 g. For example, a laundry composition may weigh from 15 to 40g, a dishwashing composition may weigh from 15 to 30 g and a water-softening composition may weigh from 15 to 40 g.

25 The containers may have any desired shape. For example the containers can have an irregular or regular geometrical shape such as a cube, cuboid, pyramid, dodecahedron or cylinder. The cylinder may have any desired cross-section, such as a 30 circular, triangular or square cross-section.

The individual compartments need not necessarily be regular or identical. For example, if the final container has a cuboid shape, the individual compartments may have different sizes or shapes to accommodate different quantities of 5 compositions. In general, the compartments have volume ratios of from 10:1 to 1:10, especially from 2:1 to 1:2.

In a preferred aspect of the present invention the first compartment is defined by a lower surface, the barrier and 10 walls extending therebetween, the lower surface and the barrier being substantially parallel. Additionally, or as a separate aspect in the second compartment is defined by an opening, the barrier and walls extending therebetween, the opening and the barrier being substantially parallel.

15 The container may also have a hook portion so that it can be hung, for example, from an appropriate place inside a dishwashing machine.

20 The packages produced by the process of the present invention may, if desired, have a maximum dimension of 5 cm, excluding any flanges. For example, a container may have a length of 1 to 5 cm, especially 3.5 to 4.5 cm, a width of 1.5 to 3.5 cm, especially 2 to 3 cm, and a height of 1 to 2 25 cm, especially 1.25 to 1.75 cm.

If more than one composition is present, the compositions may be appropriately chosen depending on the desired use of the article.

30 If the container is for use in laundry washing, the composition in each compartment may comprise, for example, a

detergent, and the plug may comprise a bleach, stain remover, water-softener, enzyme or fabric conditioner. The container is adapted to release the compositions at different times during the laundry wash. For example, a

5 bleach or fabric conditioner is generally released at the end of a wash, and a water-softener is generally released at the start of a wash. An enzyme may be released at the start or the end of a wash.

10 If the container article is for use as a fabric conditioner, the compositions in each compartment may comprise a fabric conditioner and the plug may comprise an enzyme which is released before or after the fabric conditioner in a rinse cycle.

15 If the container is for use in dishwashing the compositions in each compartment may comprise a detergent and the plug may comprise a water-softener, salt, enzyme, rinse aid, bleach or bleach activator. The container is adapted to 20 release the compositions at different times during the laundry wash. For example, a rinse aid, bleach or bleach activator is generally released at the end of a wash, and a water-softener, salt or enzyme is generally released at the start of a wash.

25 Examples of surface care compositions are those used in the field of surface care, for example to clean, treat or polish a surface. Suitable surfaces are, for example, household surfaces such as worktops, as well as surfaces of sanitary 30 ware, such as sinks, basins and lavatories.

The ingredients of each composition depend on the use of the composition. Thus, for example, the composition may contain surface active agents such as an anionic, non-ionic, cationic, amphoteric or zwitterionic surface active agents 5 or mixtures thereof.

Examples of anionic surfactants are straight-chained or branched alkyl sulfates and alkyl polyalkoxylated sulfates, also known as alkyl ether sulfates. Such surfactants may be 10 produced by the sulfation of higher C₈-C₂₀ fatty alcohols. Examples of primary alkyl sulfate surfactants are those of formula:



wherein R is a linear C₈-C₂₀ hydrocarbyl group and M is a 15 water-solubilising cation. Preferably R is C₁₀-C₁₆ alkyl, for example C₁₂-C₁₄, and M is alkali metal such as lithium, sodium or potassium.

Examples of secondary alkyl sulfate surfactants are those 20 which have the sulfate moiety on a "backbone" of the molecule, for example those of formula:




wherein m and n are independently 2 or more, the sum of m+n typically being 6 to 20, for example 9 to 15, and M is a 25 water-solubilising cation such as lithium, sodium or potassium.

Especially preferred secondary alkyl sulfates are the (2,3) alkyl sulfate surfactants of formulae:

30 $\text{CH}_2(\text{CH}_2)_x(\text{CHOSO}_3^-\text{M}^+)\text{CH}_3$ and
 $\text{CH}_3(\text{CH}_2)_x(\text{CHOSO}_3^-\text{M}^+)\text{CH}_2\text{CH}_3$

for the 2-sulfate and 3-sulfate, respectively. In these formulae x is at least 4, for example 6 to 20, preferably 10 to 16. M is cation, such as an alkali metal, for example lithium, sodium or potassium.

5 Examples of alkoxylated alkyl sulfates are ethoxylated alkyl sulfates of the formula:



wherein R is a C₈-C₂₀ alkyl group, preferably C₁₀-C₁₈ such as a C₁₂-C₁₆, n is at least 1, for example from 1 to 20, preferably

10 1 to 15, especially 1 to 6, and M is a salt-forming cation such as lithium, sodium, potassium, ammonium, alkylammonium or alkanolammonium. These compounds can provide especially desirable fabric cleaning performance benefits when used in combination with alkyl sulfates.

15 The alkyl sulfates and alkyl ether sulfates will generally be used in the form of mixtures comprising varying alkyl chain lengths and, if present, varying degrees of alkoxylation.

20 Other anionic surfactants which may be employed are salts of fatty acids, for example C₈-C₁₈ fatty acids, especially the sodium or potassium salts, and alkyl, for example C₈-C₁₈, benzene sulfonates.

25 Examples of non-ionic surfactants are fatty acid alkoxylates, such as fatty acid ethoxylates, especially those of formula:



30 wherein R is a straight or branched C₈-C₁₆ alkyl group, preferably a C₉-C₁₅, for example C₁₀-C₁₄, alkyl group and n is

at least 1, for example from 1 to 16, preferably 2 to 12, more preferably 3 to 10.

The alkoxylated fatty alcohol non-ionic surfactant will 5 frequently have a hydrophilic-lipophilic balance (HLB) which ranges from 3 to 17, more preferably from 6 to 15, most preferably from 10 to 15.

Examples of fatty alcohol ethoxylates are those made from 10 alcohols of 12 to 15 carbon atoms and which contain about 7 moles of ethylene oxide. Such materials are commercially marketed under the trademarks Neodol 25-7 and Neodol 23-6.5 by Shell Chemical Company. Other useful Neodols include Neodol 1-5, an ethoxylated fatty alcohol averaging 11 carbon 15 atoms in its alkyl chain with about 5 moles of ethylene oxide; Neodol 23-9, an ethoxylated primary C_{12} - C_{13} alcohol having about 9 moles of ethylene oxide; and Neodol 91-10, an ethoxylated C_9 - C_{11} primary alcohol having about 10 moles of ethylene oxide.

20 Alcohol ethoxylates of this type have also been marketed by Shell Chemical Company under the Dobanol trademark. Dobanol 91-5 is an ethoxylated C_9 - C_{11} fatty alcohol with an average of 5 moles ethylene oxide and Dobanol 25-7 is an ethoxylated 25 C_{12} - C_{15} fatty alcohol with an average of 7 moles of ethylene oxide per mole of fatty alcohol.

Other examples of suitable ethoxylated alcohol non-ionic surfactants include Tergitol 15-S-7 and Tergitol 15-S-9, 30 both of which are linear secondary alcohol ethoxylates available from Union Carbide Corporation. Tergitol 15-S-7 is a mixed ethoxylated product of a C_{11} - C_{15} linear secondary

alkanol with 7 moles of ethylene oxide and Tergitol 15-S-9 is the same but with 9 moles of ethylene oxide.

Other suitable alcohol ethoxylated non-ionic surfactants are 5 Neodol 45-11, which is a similar ethylene oxide condensation products of a fatty alcohol having 14-15 carbon atoms and the number of ethylene oxide groups per mole being about 11. Such products are also available from Shell Chemical Company.

10

Further non-ionic surfactants are, for example, C_{10} - C_{18} alkyl polyglycosides, such as C_{12} - C_{16} alkyl polyglycosides, especially the polyglucosides. These are especially useful when high foaming compositions are desired. Further 15 surfactants are polyhydroxy fatty acid amides, such as C_{10} - C_{18} N-(3-methoxypropyl) glyciamides and ethylene oxide-propylene oxide block polymers of the Pluronic type.

Examples of cationic surfactants are those of the quaternary 20 ammonium type.

The total content of surfactants in the composition is desirably 60 to 95 wt%, especially 75 to 90 wt%. Desirably an anionic surfactant is present in an amount of 50 to 75 25 wt%, the nonionic surfactant is present in an amount of 5 to 50 wt%, and/or the cationic surfactant is present in an amount of from 0 to 20 wt%. The amounts are based on the total solids content of the composition, i.e. excluding any solvent which may be present.

30

The compositions, particularly when used as laundry washing or dishwashing compositions, may also independently comprise

enzymes, such as protease, lipase, amylase, cellulase and peroxidase enzymes. Such enzymes are commercially available and sold, for example, under the registered trade marks Esperase, Alcalase and Savinase by Nova Industries A/S and 5 Maxatase by International Biosynthetics, Inc. Desirably the enzymes are independently present in the compositions in an amount of from 0.5 to 3 wt%, especially 1 to 2 wt%, when added as commercial preparations they are not pure and this represents an equivalent amount of 0.005 to 0.5 wt% of pure 10 enzyme.

The compositions may, if desired, independently comprise a thickening agent or gelling agent. Suitable thickeners are polyacrylate polymers such as those sold under the trade 15 mark CARBOPOL, or the trade mark ACUSOL by Rohm and Haas Company. Other suitable thickeners are xanthan gums. The thickener, if present, is generally present in an amount of from 0.2 to 4 wt%, especially 0.5 to 2 wt%.

20 Compositions used in dishwashing independently usually comprise a detergency builder. The builders counteract the effects of calcium, or other ion, water hardness. Examples of such materials are citrate, succinate, malonate, carboxymethyl succinate, carboxylate, polycarboxylate and 25 polyacetyl carboxylate salts, for example with alkali metal or alkaline earth metal cations, or the corresponding free acids. Specific examples are sodium, potassium and lithium salts of oxydisuccinic acid, mellitic acid, benzene polycarboxylic acids, C₁₀-C₂₂ fatty acids and citric acid. 30 Other examples are organic phosphonate type sequestering agents such as those sold by Monsanto under the trade mark Dequest and alkylhydroxy phosphonates. Citrate salts and

C_{12} - C_{18} fatty acid soaps are preferred. Further builders are; phosphates such as sodium, potassium or ammonium salts of mono-, di- or tri-poly or oligo-phosphates; zeolites; silicates, amorphous or structured, such as sodium, 5 potassium or ammonium salts.

Other suitable builders are polymers and copolymers known to have builder properties. For example, such materials include appropriate polyacrylic acid, polymaleic acid, and 10 polyacrylic/polymaleic and copolymers and their salts, such as those sold by BASF under the trade mark Sokalan. The builder is desirably present in an amount of up to 90 wt%, preferably 15 to 90 wt%, more preferable 15 to 75 wt%, relative to the total weight of the composition. Further 15 details of suitable components are given in, for example, EP-A-694,059, EP-A-518,720 and WO 99/06522.

The compositions can also optionally comprise one or more additional ingredients. These include conventional 20 detergent composition components such as further surfactants, bleaches, bleach enhancing agents, builders, suds boosters or suds suppressors, anti-tarnish and anti-corrosion agents, organic solvents, co-solvents, phase stabilisers, emulsifying agents, preservatives, soil suspending agents, soil release agents, germicides, pH 25 adjusting agents or buffers, non-builder alkalinity sources, chelating agents, clays such as smectite clays, enzyme stabilizers, anti-limescale agents, colourants, dyes, hydrotropes, dye transfer inhibiting agents, brighteners, 30 and perfumes. If used, such optional ingredients will generally constitute no more than 10 wt%, for example from 1 to 6 wt%, the total weight of the compositions.

Compositions which comprise an enzyme may optionally contain materials which maintain the stability of the enzyme. Such enzyme stabilizers include, for example, polyols such as 5 propylene glycol, boric acid and borax. Combinations of these enzyme stabilizers may also be employed. If utilized, the enzyme stabilizers generally constitute from 0.1 to 1 wt% of the compositions.

10 The compositions may optionally comprise materials which serve as phase stabilizers and/or co-solvents. Examples are C₁-C₃ alcohols such as methanol, ethanol and propanol. C₁-C₃ alkanolamines such as mono-, di- and triethanolamines can also be used, by themselves or in combination with the 15 alcohols. The phase stabilizers and/or co-solvents can, for example, constitute 0 to 1 wt%, preferably 0.1 to 0.5 wt%, of the composition.

The compositions may optionally comprise components which 20 adjust or maintain the pH of the compositions at optimum levels. The pH may be from, for example, 1 to 13, such as 8 to 11 depending on the nature of the composition. For example a dishwashing composition desirably has a pH of 8 to 11, a laundry composition desirable has a pH of 7 to 9, and 25 a water-softening composition desirably has a pH of 7 to 9. Examples of pH adjusting agents are NaOH and citric acid.

The above examples may be used for dish or fabric washing. In particular dish washing formulations are preferred which 30 are adapted to be used in automatic dish washing machines. Due to their specific requirements specialised formulation is required and these are illustrated below

Amounts of the ingredients can vary within wide ranges, however preferred automatic dishwashing detergent compositions herein (which typically have a 1% aqueous

5 solution pH of above 8, more preferably from 9.5 to 12, most preferably from 9.5 to 10.5) are those wherein there is present: from 5% to 90%, preferably from 5% to 75%, of builder; from 0.1% to 40%, preferably from 0.5% to 30%, of bleaching agent; from 0.1% to 15%, preferably from 0.2% to

10 10%, of the surfactant system; from 0.0001% to 1%, preferably from 0.001% to 0.05%, of a metal-containing bleach catalyst; and from 0.1% to 40%, preferably from 0.1% to 20% of a water-soluble silicate. Such fully-formulated

15 embodiments typically further comprise from 0.1% to 15% of a polymeric dispersant, from 0.01% to 10% of a chelant, and from 0.00001% to 10% of a detergents enzyme, though further additional or adjunct ingredients may be present. Detergent compositions herein in granular form typically limit water content, for example to less than 7% free water, for better

20 storage stability.

Non-ionic surfactants useful in ADW (Automatic Dish Washing) compositions of the present invention desirably include surfactant(s) at levels of from 2% to 60% of the

25 composition. In general, bleach-stable surfactants are preferred. Non-ionic surfactants generally are well known, being described in more detail in Kirk Othmer's Encyclopedia of Chemical Technology, 3rd Ed., Vol. 22, pp. 360-379, "Surfactants and Detergents Systems", incorporated by

30 reference herein.


Preferably the ADW composition comprises at least one non-ionic surfactant. One class of non-ionics are ethoxylated non-ionic surfactants prepared by the reaction of a monohydroxy alkanol or alkylphenol with 6 to 20 carbon atoms 5 with preferably at least 12 moles particularly preferred at least 16 moles, and still more preferred at least 20 moles of ethylene oxide per mole of alcohol or alkylphenol.

Particularly preferred non-ionic surfactants are the non-
10 ionic from a linear chain fatty alcohol with 16-20 carbon atoms and at least 12 moles particularly preferred at least 16 and still more preferred at least 20 moles of ethylene oxide per mole of alcohol.

15 According to one preferred embodiment the non-ionic surfactant additionally comprise propylene oxide units in the molecule. Preferably this PO units constitute up to 25% by weight, preferably up to 20% by weight and still more preferably up to 15% by weight of the overall molecular
20 weight of the non-ionic surfactant. Particularly preferred surfactants are ethoxylated mono-hydroxy alkanols or alkylphenols, which additionally comprises polyoxyethylene-polyoxypropylene block copolymer units. The alcohol or alkylphenol portion of such surfactants constitutes more
25 than 30%, preferably more than 50%, more preferably more than 70% by weight of the overall molecular weight of the non-ionic surfactant.


Another class of non-ionic surfactants includes reverse
30 block copolymers of polyoxyethylene and polyoxypropylene and block copolymers of polyoxyethylene and polyoxypropylene initiated with trimethylolpropane.

Another preferred non-ionic surfactant can be described by the formula:



wherein R^1 represents a linear or branched chain aliphatic hydrocarbon group with 4-18 carbon atoms or mixtures thereof, R^2 represents a linear or branched chain aliphatic hydrocarbon rest with 2-26 carbon atoms or mixtures thereof, x is a value between 0.5 and 1.5 and y is a value of at least 15.

Another group of preferred nonionic surfactants are the end-capped polyoxyalkylated non-ionics of formula:



wherein R^1 and R^2 represent linear or branched chain, saturated or unsaturated, aliphatic or aromatic hydrocarbon groups with 1-30 carbon atoms, R^3 represents a hydrogen atom or a methyl, ethyl, n-propyl, iso-propyl, n-butyl, 2-butyl or 2-methyl-2-butyl group, x is a value between 1 and 30 and, k and j are values between 1 and 12, preferably between 1 and 5. When the value of x is ≥ 2 each R^3 in the formula above can be different. R^1 and R^2 are preferably linear or branched chain, saturated or unsaturated, aliphatic or aromatic hydrocarbon groups with 6-22 carbon atoms, where group with 8 to 18 carbon atoms are particularly preferred. For the group R^3 H, methyl or ethyl are particularly preferred. Particularly preferred values

for x are comprised between 1 and 20, preferably between 6 and 15.

As described above, in case $x > 2$, each R^3 in the formula can 5 be different. For instance, when $x=3$, the group R^3 could be chosen to build ethylene oxide ($R^3=H$) or propylene oxide ($R^3=methyl$) units which can be used in every single order for instance $(PO)(EO)(EO)$, $(EO)(PO)(EO)$, $(EO)(EO)(PO)$, $(EO)(EO)(EO)$, $(PO)(EO)(PO)$, $(PO)(PO)(EO)$ and $(PO)(PO)(PO)$.
10 The value 3 for x is only an example and bigger values can be chosen whereby a higher number of variations of (EO) or (PO) units would arise.

Particularly preferred end-capped polyoxyalkylated alcohols 15 of the above formula are those where $k=1$ and $j=1$ originating molecules of simplified formula:



20 The use of mixtures of different non-ionic surfactants is particularly preferred in ADW formulations for example mixtures of alkoxylated alcohols and hydroxy group containing alkoxylated alcohols.

25 The containers may themselves be packaged in outer containers if desired, for example non-water soluble containers which are removed before the water-soluble containers are used.

30 In use one or more containers are simply added to water where the outside dissolves. Thus they may be added in the usual way to a dishwasher or laundry machine, especially in

the dishwashing compartment or a drum. They may also be added to a quantity of water, for example in a bucket or trigger-type spray.

5 An embodiment of the present invention is now further illustrated using the attached Figures.

Figure 1 shows an unfilled container (1) of the present invention comprising a first compartment (2) and a second compartment (3) being separated by a water-soluble barrier (4) having an opening (5). The container (1) is integrally formed.

The container (1) is generally cuboid. The first compartment (2) is defined by a lower surface, the barrier (4) and walls extending therebetween. The lower surface and the barrier (4) are substantially parallel, in that they do not converge by more than 10° , preferably by not more than 5° . The second compartment (3) is defined by an opening (5) (itself defined by the perimeter of the container), the barrier (4) and walls extending therebetween. The opening and the barrier are substantially parallel, in that they do not converge by more than 10° , preferably by not more than 5° .

25 Figure 2 shows that the container of Figure 1 in which the first compartment (2) has been filled with a first composition (6) through the opening (5).

Figure 3 shows the container of Figure 2 in which the 30 opening (5) has been plugged with a spherical plug (7).

Figure 4 shows the container of Figure 4 in which the second compartment (3) has been filled with a second composition (8).

5 Figure 5 shows the container of Figure 4 which has been sealed with a film (9). The film (9) is heat-sealed, for example, to the flanges of the container (1).

CLAIMS

1. A filled water-soluble injection moulded container (1) containing a first composition (6) held in a first compartment (2) and a second composition (8) held in a second compartment (3), said first compartment (2) and said second compartment (3) being separated by a water-soluble barrier (4) having an opening (5) plugged by a plug (7) arranged such that when said container (1) is filled with said first composition (6) and said second composition (8), said first compartment (2) is filled through said opening (5) in said barrier (4), said barrier (4) is plugged with said plug (7), and subsequently said second compartment (3) is filled with said second composition (8) and said second compartment is sealed with a closure part (9).
2. A container according to claim 1 wherein said closure part (9) is a water-soluble film (9).
- 20 3. A container according to claim 1 or 2 wherein said plug (7) comprises a water-soluble composition.
4. A container according to any one of the preceding claims wherein said plug (7) is spherical.
- 25 5. A container according to any one of the preceding claims wherein said first composition (6) and said second composition (8) are each a fabric care, surface care or dishwashing composition.
- 30 6. A container according to claim 5 wherein said first composition (6) and said second composition (8) are each a

dishwashing, water-softening, laundry, detergent or rinse aid composition.

7. A container according to any one of claims 1 to 4
5 wherein said first composition (6) and said second
composition (8) are each a disinfectant, antibacterial or
antiseptic composition.

8. A container according to any one of claims 1 to 4
10 wherein said first composition and said second composition
are each an agricultural composition.

9. An unfilled water-soluble injection moulded container
(1) containing a first compartment (2) and a second
15 compartment (3), said first compartment (2) and said second
compartment (3) being separated by a water-soluble barrier
(4) having an opening (5) arranged such that when said
container is to be filled said first compartment (2) is
arranged to be filled through said opening (5) in said
20 barrier (4), said barrier (4) is capable of being plugged
with a plug (7), and subsequently said second compartment
(3) is arranged to be filled through another opening in the
container.

25 10. A container according to any one of the preceding
claims wherein said container is made from a poly(vinyl
alcohol) (PVOH).

11 11. A container according to any one of the preceding
30 claims wherein said first compartment (2) is defined by a
lower surface, said barrier (4) and walls extending

therebetween, said lower surface and said barrier (4) being substantially parallel.

12. A container according to any one of the preceding 5 claims wherein said second compartment (3) is defined by an opening, said barrier (4) and walls extending therebetween, said upper surface and said opening being substantially parallel.

10 13. A container according to any one of the preceding claims which is cuboid.

14. A process for preparing a filled container as defined in any one of claims 1 to 8 or 10 to 13 which comprises 15 providing an unfilled water-soluble injection moulded container (1) as defined in claim 9, filling said first compartment (2) with said first composition (6) through said opening (5) in said barrier (4), plugging said opening (5) with a plug (7), filling said second compartment (3) with 20 said second composition (8) and sealing said second compartment (3) with a closure part (9).

ABSTRACTImprovements in or Relating to Compositions

5 A filled water-soluble injection moulded container (1) containing a first composition (6) held in a first compartment (2) and a second composition (8) held in a second compartment (3), said first compartment (2) and said second compartment (3) being separated by a water-soluble

10 barrier (4) having an opening (5) plugged by a plug (7) arranged such that when said container (1) is filled with said first composition (6) and said second composition (8), said first compartment (2) is filled through said opening (5) in said barrier (4), said barrier (4) is plugged with

15 said plug (7), and subsequently said second compartment (3) is filled with said second composition (8) and said second compartment is sealed with a closure part (9).

111

FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.

